

AVANT LE SEVRAGE

L'attitude du thérapeute en matière de sevrage tabagique doit se faire dans un langage simple, sur la base d'une hypothèse d'arrêt, mais sans précipitation :

- Proposition avec empathie de se revoir pour parler de sevrage tabagique lors d'une consultation spécifique au tabac,
- Faire savoir au patient que l'on peut l'aider s'il le souhaite,
- Faire admettre d'emblée que la prise en charge du sevrage tabagique, implique comme toute prise en charge, le principe de rendez-vous réguliers de suivi, 5 consultations seront nécessaires dans l'année au minimum

Les dossiers cliniques de sevrage tabagique intitulés "consultation de tabacologie" sont à commander gratuitement www.inpes.sante.fr (version informatique disponible).

Les patients devant être opérés d'un cancer du poumon doivent être informés des risques de complications péri opératoires liés à leur tabagisme et remettre le document INPES "une opération se vit mieux sans tabac" (à commander gratuitement www.inpes.sante.fr).

L'attitude du fumeur :

L'évolution de la prise de décision de s'arrêter de fumer se fait progressivement, étape par étape, pour chaque fumeur.

- 1) Le fumeur n'a pas du tout envie de s'arrêter de fumer, il optimise les bons côtés de la cigarette et occulte les risques pour la santé : l'action du médecin est d'informer sur les méfaits du tabagisme en général, et pour ce fumeur en particulier.
Il faut éviter à tout prix un discours "qui fait peur" et/ou " culpabilisant " car ceci s'avère toujours contre-productif.
- 2) Le fumeur envisage de s'arrêter dans les prochains mois, la motivation augmente progressivement, les inconvénients du tabagisme commencent à être pris en compte : le médecin doit aider le fumeur à faire la balance des avantages et des inconvénients du tabac, en insistant toujours sur les bénéfices à l'arrêt.
- 3) Le fumeur prend la décision d'arrêter de fumer dans les prochaines semaines : le médecin doit obtenir du fumeur qu'il fixe la date d'arrêt ; si possible dans un délai de 6 mois.

REFERENCES

1. Jossieran L. [Smoking in France: What is the situation?]. *Rev Pneumol Clin.* juin 2018;74(3):124-32.
2. Taylor G, McNeill A, Girling A, Farley A, Lindson-Hawley N, Aveyard P. Change in mental health after smoking cessation: systematic review and meta-analysis. *BMJ.* 2014;348:g1151.
3. Silagy C, Lancaster T, Stead L, Mant D, Fowler G. Nicotine replacement therapy for smoking cessation. *Cochrane Database Syst Rev.* 2001;(3):CD000146.
4. Bohadana A, Nilsson F, Rasmussen T, Martinet Y. Nicotine inhaler and nicotine patch as a combination therapy for smoking cessation: a randomized, double-blind, placebo-controlled trial. *Arch Intern Med.* 13 nov 2000;160(20):3128-34.
5. Johnston AJ, Ascher J, Leadbetter R, Schmith VD, Patel DK, Durcan M, et al. Pharmacokinetic optimisation of sustained-release bupropion for smoking cessation. *Drugs.* 2002;62 Suppl 2:11-24.
6. Jorenby DE, Hays JT, Rigotti NA, Azoulay S, Watsky EJ, Williams KE, et al. Efficacy of varenicline, an alpha4beta2 nicotinic acetylcholine receptor partial agonist, vs placebo or sustained-release bupropion for smoking cessation: a randomized controlled trial. *JAMA.* 5 juill 2006;296(1):56-63.
7. Anthenelli RM, Benowitz NL, West R, St Aubin L, McRae T, Lawrence D, et al. Neuropsychiatric safety and efficacy of varenicline, bupropion, and nicotine patch in smokers with and without psychiatric disorders (EAGLES): a double-blind, randomised, placebo-controlled clinical trial. *Lancet.* 18 juin 2016;387(10037):2507-20.
8. Bertholon JF, Becquemin MH, Annesi-Maesano I, Dautzenberg B. Electronic cigarettes: a short review. *Respiration.* 2013;86(5):433-8.
9. Bullen C, Howe C, Laugesen M, McRobbie H, Parag V, Williman J, et al. Electronic cigarettes for smoking cessation: a randomised controlled trial. *Lancet.* 16 nov 2013;382(9905):1629-37.
10. Cobb NK, Abrams DB. The FDA, e-cigarettes, and the demise of combusted tobacco. *N Engl J Med.* 16 oct 2014;371(16):1469.
11. Lee AHY, Stater BJ, Close L, Rahmati R. Are e-cigarettes effective in smoking cessation? *Laryngoscope.* avr 2015;125(4):785.
12. Vanderkam P, Bousageon R, Underner M, Langbourg N, Brabant Y, Binder P, et al. [Efficacy and security of electronic cigarette for tobacco harm reduction: Systematic review and meta-analysis]. *Presse Med.* 2 sept 2016;
13. Rahman MA, Hann N, Wilson A, Mnatzaganian G, Worrall-Carter L. E-Cigarettes and Smoking Cessation: Evidence from a Systematic Review and Meta-Analysis. *Le Foll B, éditeur. PLOS ONE.* 30 mars 2015;10(3):e0122544.
14. Masiero M, Lucchiari C, Mazzocco K, Veronesi G, Maisonneuve P, Jemos C, et al. E-cigarettes May Support Smokers With High Smoking-Related Risk Awareness to Stop Smoking in the Short Run: Preliminary Results by Randomized Controlled Trial. *Nicotine Tob Res.* 1 janv 2019;21(1):119-26.
15. Luxton NA, Shih P, Rahman MA. Electronic Cigarettes and Smoking Cessation in the Perioperative Period of Cardiothoracic Surgery: Views of Australian Clinicians. *Int J Environ Res Public Health.* 07 2018;15(11).
16. Glantz SA, Bareham DW. E-Cigarettes: Use, Effects on Smoking, Risks, and Policy Implications. *Annu Rev Public Health.* 1 avr 2018;39:215-35.
17. Couraud S, Cortot AB, Pivot XB, Touboul C, Lhomel C, Blay J-Y, et al. Beliefs and behavior regarding e-cigarettes in a large cross-sectional survey. *Prev Med Rep.* juin 2018;10:332-6.
18. Gomajee R, El-Khoury F, Goldberg M, Zins M, Lemogne C, Wiernik E, et al. Association Between Electronic Cigarette Use and Smoking Reduction in France. *JAMA Intern Med.* 1 sept 2019;179(9):1193-200.
19. Hajek P, Phillips-Waller A, Przulj D, Pesola F, Myers Smith K, Bisal N, et al. A Randomized Trial of E-Cigarettes versus Nicotine-Replacement Therapy. *New England Journal of Medicine.* 14 févr 2019;380(7):629-37.
20. e-cig-alerte-USA-texte-GT-tabac-SPLF.pdf [Internet]. [cité 2 déc 2019]. Disponible sur: <http://splf.fr/wp-content/uploads/2019/09/e-cig-alerte-USA-texte-GT-tabac-SPLF.pdf>
21. 9789241516204-eng.pdf [Internet]. [cité 2 déc 2019]. Disponible sur: <https://apps.who.int/iris/bitstream/handle/10665/326043/9789241516204-eng.pdf>
22. Rapport_e-cigarette_lundi 27 mai PS - zotero://attachment/21/ [Internet]. [cité 31 oct 2016]. Disponible sur: <zotero://attachment/21/>
23. Barnes J, Dong CY, McRobbie H, Walker N, Mehta M, Stead LF. Hypnotherapy for smoking cessation. *Cochrane Database Syst Rev.* 6 oct 2010;(10):CD001008.
24. Abdul-Kader J, Airagnes G, D'almeida S, Limosin F, Le Faou A-L. [Interventions for smoking cessation in 2018]. *Rev Pneumol Clin.* juin 2018;74(3):160-9.
25. White AR, Rampes H, Liu JP, Stead LF, Campbell J. Acupuncture and related interventions for smoking cessation. *Cochrane Database Syst Rev.* 23 janv 2014;(1):CD000009.
26. Taylor GMJ, Dalili MN, Semwal M, Civljak M, Sheikh A, Car J. Internet-based interventions for smoking cessation. *Cochrane Database Syst Rev.* 04 2017;9:CD007078.
27. Nguyen Thanh V, Guignard R, Lancrenon S, Bertrand C, Delva C, Berlin I, et al. Effectiveness of a Fully Automated Internet-Based Smoking Cessation Program: A Randomized Controlled Trial (STAMP). *Nicotine Tob Res.* 4 janv 2019;21(2):163-72.

28. Ruppert A-M, Amrioui F, Gounant V, Wislez M, Bouvier F, Cadranet J. [Smoking cessation therapy in thoracic oncology]. *Rev Mal Respir.* oct 2013;30(8):696-705.
29. WCLC-2015-Abstract-Book_vF_FOR-JTO-Website_low-res_REV-NOV-2015.pdf [Internet]. [cité 31 oct 2016]. Disponible sur: http://wclc2015.iaslc.org/wp-content/uploads/2015/11/WCLC-2015-Abstract-Book_vF_FOR-JTO-Website_low-res_REV-NOV-2015.pdf
30. Synthèse - Arrêt du tabac dans la prise en charge du patient atteint de cancer - Systématiser son accompagnement - Ref : ARTBPATABSYN16 | Institut National Du Cancer [Internet]. [cité 31 oct 2016]. Disponible sur: <http://www.e-cancer.fr/Expertises-et-publications/Catalogue-des-publications/Synthese-Arret-du-tabac-dans-la-prise-en-charge-du-patient-atteint-de-cancer-Systematiser-son-accompagnement>
31. Norum J, Nieder C. Tobacco smoking and cessation and PD-L1 inhibitors in non-small cell lung cancer (NSCLC): a review of the literature. *ESMO Open.* 2018;3(6):e000406.
32. Reck M, Rodríguez-Abreu D, Robinson AG, Hui R, Csósz T, Fülöp A, et al. Pembrolizumab versus Chemotherapy for PD-L1–Positive Non–Small-Cell Lung Cancer. *New England Journal of Medicine.* 10 nov 2016;375(19):1823-33.
33. Microsoft Word - Dossier de presse CETPO.doc - zotero://attachment/18/ [Internet]. [cité 31 oct 2016]. Disponible sur: <zotero://attachment/18/>
34. Balduyck B, Sardari Nia P, Cogen A, Dockx Y, Lauwers P, Hendriks J, et al. The effect of smoking cessation on quality of life after lung cancer surgery. *Eur J Cardiothorac Surg.* déc 2011;40(6):1432-7; discussion 1437-1438.
35. Lee SM, Landry J, Jones PM, Buhrmann O, Morley-Forster P. Long-term quit rates after a perioperative smoking cessation randomized controlled trial. *Anesth Analg.* mars 2015;120(3):582.
36. Parsons A, Daley A, Begh R, Aveyard P. Influence of smoking cessation after diagnosis of early stage lung cancer on prognosis: systematic review of observational studies with meta-analysis. *BMJ.* 2010;340:b5569.
37. Richardson GE, Tucker MA, Venzon DJ, Linnoila RI, Phelps R, Phares JC, et al. Smoking cessation after successful treatment of small-cell lung cancer is associated with fewer smoking-related second primary cancers. *Ann Intern Med.* 1 sept 1993;119(5):383-90.
38. Taylor R, Najafi F, Dobson A. Meta-analysis of studies of passive smoking and lung cancer: effects of study type and continent. *Int J Epidemiol.* oct 2007;36(5):1048.
39. Mortal-Tbc_CH_JMST12 - Mortalite_attribuable_au_tabac_en_France.pdf [Internet]. [cité 31 oct 2016]. Disponible sur: http://social-sante.gouv.fr/IMG/pdf/Mortalite_attribuable_au_tabac_en_France.pdf
40. Bam TS, Bellew W, Berezhnova I, Jackson-Morris A, Jones A, Latif E, et al. Position statement on electronic cigarettes or electronic nicotine delivery systems. *Int J Tuberc Lung Dis.* janv 2014;18(1):5.
41. Circulaire du 8 décembre 2006 relative à la mise en oeuvre des conditions d'application de l'interdiction de fumer dans les établissements de santé.